

2018

XT250

TOP FEATURES

1. Advanced Long-Travel Suspension

Long-travel suspension and more than 11.2 inches of ground clearance live under a seat only 31.9 inches from the ground.

2. Modern Fuel Injection

The XT250 has fuel injection for smooth throttle response and easy starting in nearly all conditions.

3. Convenient Electric Start

Electric start makes firing up the 249cc four-stroke effortless.

4. Dual Disc Brakes

245mm front disc and 203mm rear disc brakes combine to deliver superb stopping power on both paved and unpaved surfaces.



Sandy Beige

\$5,199 MSRP* \$225 Destination Charge*



*Manufacturer's Suggested Retail Price (MSRP) shown. Does not include tax, title, prep or destination charges. Actual prices set by dealer.

FEATURES & BENEFITS

ENGINE

Reliable Four-Stroke Motor

249cc air-cooled four-stroke with 9.5:1 compression makes for great on-and off-road performance.

Modern Fuel Injection

The XT250 has fuel injection for smooth throttle response and easy starting in nearly all conditions.

Advanced Cylinder Design

A light-and-strong forged piston inside a plated cylinder helps dissipate heat more efficiently, increasing both performance and durability.

Responsive Power

A light crankshaft helps provide quick responsive power.

5-Speed Transmission

Wide-ratio five-speed transmission for maximum power and performance in a wide range of terrain and conditions.

Efficient Intake Design

Straighter intake tract for improved performance.

Convenient Electric Start

Hassle-free push-button electric starting adds extra convenience and reliability.

Trail-Ready Chassis

Engine is mounted high in the frame to provide an incredible 11.2 inches of ground clearance.

Low Maintenance Engine

Automatic cam chain tensioner means minimal maintenance and longer engine life.

CHASSIS/SUSPENSION

Strong, Compact Frame

A semi-double-cradle steel frame achieves a lighter, nimbler feel through greater mass centralization. Greater lateral and torsional rigidity and reduced weight of the lower frame parts help produce light, stable handling.

Advanced Long-Travel Suspension

The front fork has 8.9 inches of travel to soak up the rough stuff, both on road and off. An aluminum lower triple clamp keeps the weight down.

Nimble Steering

Maximum turning angle of the handlebar is 51 degrees—almost like a trials machine. Combined with a short wheelbase of only 53.5 inches, the XT250 has a super-tight turning radius for excellent maneuverability.

Linkage-Style Shock

A rear shock provides 7.1 inches of wheel travel through a progressive, Monocross® linkage system for a smooth ride.

Dirt-Ready Wheels

21-inch front and 18-inch rear aluminum wheels are extremely durable and reduce unsprung weight for enhanced suspension performance and handling.

Generous Ground Clearance

11.2 inches of ground clearance means you've got serious off-road capability.

ADDITIONAL FEATURES

Advanced LCD Instruments

Multifunction digital LCD instrument panel with cool green background lighting is easily visible day or night. It also removes unnecessary weight from the handlebar for light, precise handling.

Extended Fuel Range

The stylish gas tank holds a full 2.6 gallons for long-range riding.

Comfortable Saddle

Long, thick seat creates a balanced riding position for optimal rider movement and comfort.

Protective Fenders

Durable and wide front fender is designed to keep mud and dirt off the rider when exploring off-road.

Passenger-Ready

Frame-mounted passenger foot pegs provide two-up riding capability.

Bright Illumination

Enduro-style, 60/55-watt halogen headlight features a cool 133mm lens for excellent visibility at night.

Dual Sport Lighting

Flex-mounted turn indicators offer great durability against breakage.

Fork Protection

Durable fork boots help prevent rocks and debris from damaging fork sliders.

Forestry-Friendly Exhaust

A spark arrestor makes the XT trail ready.

Modern Battery

Dependable, low-maintenance battery.

yamahamotorsports.com

For Accessories, visit shopyamaha.com

SPECIFICATIONS:

Engine Type	249cc air-cooled SOHC 4-stroke single; 2 valves
Bore x Stroke	74.0mm x 58.0mm
Compression Ratio	9.5:1
Fuel Delivery	Yamaha Fuel Injection (YFI)
Ignition	TCI: Transistor Controlled Ignition
Transmission	5-speed; multiplate wet clutch
Final Drive	Chain
Suspension / Front	35mm telescopic fork; 8.9-in travel
Suspension / Rear	Single shock, adjustable preload and rebound damping; 7.1-in travel
Brakes / Front	Single disc, 245mm
Brakes / Rear	Single disc, 203mm
Tires / Front	2.75-21
Tires / Rear	120/80-18
L x W x H	84.6 in x 31.7 in x 45.7 in
Seat Height	31.9 in
Wheelbase	53.5 in
Rake (Caster Angle)	26.4°
Trail	4.2 in
Maximum Ground Clearance	11.2 in
Fuel Capacity	2.6 gal / CA model, 2.4 gal
Fuel Economy**	76 mpg
Wet Weight***	291 lb
Warranty	1 Year (Limited Factory Warranty)
Color	Sandy Beige

Specifications subject to change without notice. This document contains many of Yamaha's valuable trademarks. It may also contain trademarks belonging to other companies. Any references to other companies or their products are for identification purposes only, and are not intended to be an endorsement. © 2021 Yamaha Motor Corporation, U.S.A. All rights reserved.

*** Wet weight includes the vehicle with all standard equipment and all fluids, including oil, coolant (as applicable) and a full tank of fuel. It does not include the weight of options or accessories. Wet weight is useful in making real-world comparisons with other models.